

ENSIM PRO - WINDOWS



Ensim Pro 10.3.0 for Windows 2003 Skin Customization Guide

Published: 4 June 2007

This document contains information proprietary to Ensim Corporation and its receipt or possession does not convey any rights to reproduce, disclose, manufacture, or sell anything it might describe. Reproduction, disclosure, or use without Ensim's specific written authorization is strictly forbidden. Ensim Corporation makes no representations or warranties with respect to the contents or use of this document. It also reserves the right to revise this publication and make changes to the content at any time, without the obligation to notify any person or entity of such revisions or changes.

Further, Ensim Corporation assumes no responsibility or liability for any errors or inaccuracies, makes no warranty of any kind (express, implied or statutory) with respect to the contents or use of the information, and expressly disclaims any and all warranties of merchantability, fitness for particular purposes, and non-infringement of third party rights.

Ensim and the Ensim logo are registered trademarks of Ensim Corporation. All other trademarks are the property of their respective owners.

© 2007 Ensim Corporation. All rights reserved.

CORPORATE HEADQUARTERS

ENSIM CORPORATION

3945 Freedom Circle, Suite 1100
Santa Clara, California 95054
(408) 496-3700

www.ensim.com

Contents

Document revision history	4
---------------------------	---

About this guide	5
------------------	---

Introduction.....	5
Intended audience and required skills	5
Related documentation	5
Document conventions	5
Support and feedback	6

Chapter 1 Customizing skins	7
-----------------------------	---

Introduction.....	7
Customizing the skin components in the skin style sheet (CSS) file	7
List of referenced images in the skin style sheet (CSS) file	8
Adding a new skin	13

Appendix A Sample skin style sheet (CSS) file for customizing skins	15
---	----

Introduction.....	15
-------------------	----

Document revision history

There have been no changes to this document since its initial publication. For information about new features in this release, see the What's New document on the Ensim support site, <http://support.ensim.com>.

About this guide

Introduction

This guide provides instructions for customizing skins for Ensim Pro 10.3.0 for Windows® 2003.

Note: For simplicity, we refer to Ensim Pro 10.3.0 for Windows 2003 as "Ensim Pro" throughout this document.

Note: This guide is updated as new information becomes available. Before you begin, be sure to check the Ensim Pro for Windows documentation section of the Ensim Support Site, <http://www.ensim.com/support>, to make sure you have the latest version of the guide. The date on the title page indicates the version; changes, if any, are recorded in the document revision history.

Intended audience and required skills

This guide is intended for the Server administrators, Reseller administrators and Site administrators who want to customize the look and feel of the Ensim Pro control panel.

To use this guide, you need to be proficient in HTML and CSS.

Related documentation

For a list of related documentation, see the Ensim Pro for Windows release notes. Documentation is also available in the Ensim Pro for Windows section of the Ensim Support site, <http://support.ensim.com>. All customers receive passwords that allow access to this site. If you do not have a password, contact your organization's liaison to Ensim.

Document conventions

Throughout this guide, specific fonts are used to identify user input, computer code, and user interface elements. The following table lists conventions used in this guide.

**Table 1. Document conventions**

Convention	How it is used
Bold text, serif font	Used for information you type as well as for file names, path names, and CD names. <i>Example:</i> On the command line, type continue .
<i>Italic text</i>	Used for column names, field names, window names, and book titles. <i>Example:</i> The <i>Select Installation Folder</i> window is displayed.
<i>Bold, italic text enclosed in angle brackets</i>	Used for variables you replace with the appropriate information. <i>Example:</i> Type < <i>server_name</i> > where < <i>server_name</i> > is the IP address or host name of your server.
Bold text, sans serif font	Used for items you click or press, such as buttons, menus, and command keys. <i>Example:</i> Click Start > Settings > Control Panel.
Non-proportional font	Used for system messages, screen text, and code examples. <i>Example:</i> The following message is displayed: The server has been added.

Note: In addition, key information is sometimes displayed using special headings and formats, such as this one, to make it stand out from regular text.

Support and feedback

For Ensim online support or feedback, use the following links:

- <http://support.ensim.com> to create an Ensim Support account and access other documentation
- <https://onlinesupport.ensim.com> to log in to Ensim Support using an existing account
- http://onlinesupport.ensim.com/kb_search_sln.asp to search the knowledge base
- <http://www.ensim.com/about/feedback.asp> to provide feedback to Ensim

Note: All customers receive passwords that allow access to the Ensim Support site. If you do not have a password, contact your organization's liaison to Ensim.

Customizing skins

Introduction

This section describes how to create new skins and customize the skin components for a skin.

Note: To perform any operation, you must log in to the Ensim Pro server as a Server administrator, Reseller administrator or Site administrator.

In this section:

Customizing the skin components in the skin style sheet (CSS) file.....	7
List of referenced images in the skin style sheet (CSS) file	8
Adding a new skin.....	13

Customizing the skin components in the skin style sheet (CSS) file

This section describes the properties/classes that you need to use to customize the individual skin components in the skin style sheet file. For details regarding how these classes are used in the css style sheet file, refer to the appendix section (page 15).

Table 2. Classes/properties used for the skin style sheet

Style Class	Usage
Ulogo	Style for logo on top, also style with background image
Ubanner	Style for banner on top, also style with background image
navbar-background	Background image for navigation bar (menubar.gif)
navButton-on	On button in navigation bar (menuButton_on.gif)
navButton-off	Off button in navigation bar
sidebarWindow-login	Login window background and foreground colors for "Logged in as" left corner box
button-small	For example, Logout button

**Table 2. Classes/properties used for the skin style sheet**

Style Class	Usage
sidebarWindow-find	Search window in the top left
Subhead sub heading	For example, Search heading in the search window
sidebar-taskboxes	Styles for left hand side navigation links
NAV_Item, NAV_Group	Styles for left hand side navigation links
twoColRightCell	Sets background color, padding and width
pageID-home	Background image; Home at the top in the right pane
contentWindow bottomright/bootomleft topright/topleft top/bottom/right/left inside/tabOn/tabOff	Store images required at various pages
tableContent-middleColumn	Images on default page (the first page)
tableContent-leftColumn-cpanel	the first image in each row
text-copyright	copy right text font.
actionBar-button-disabled	For example, remove button
actionBar-button-enabled	For example, add site button.
tab-on-capLeft	tab-on-capLeft.gif
tab-on-capRight	tab-on-capRight.gif from css\images
tab-off-capLeft	tab-off-capLeft.gif
tab-off-capRight	tab-off-capRight.gif from css\images

List of referenced images in the skin style sheet (CSS) file

This section describes the list of images that you must include in the skin style sheet (CSS) file.

Note: The following images must be placed in the **Images** folder.

The **Images** folder must contain **Icons** sub-folder with all of the icon images. These images are referred by the control panel and can be changed but you **must not** change their names. The image size must be 32*32 pixels.

The structure of the Images folder is as shown below.

List of images required in the Images folder:

\---Images



```
| background_ice01.gif  
| background_ice02.gif  
| background_ice03.gif  
| background_ice04.gif  
| button_closed.jpg  
| button_opened.jpg  
| button_twisty_closed-a.gif  
| button_twisty_open-a.gif  
| headerBackground_dashboard.jpg  
| headerBackground_options_2.gif  
| icon_addToFavorites.gif  
| icon_taskbox_placeholder.jpg  
| masthead.jpg  
| menubar.gif  
| menubar_cap_left.gif  
| menubar_cap_right.gif  
| menubar_divider.gif  
| menuButton_on.gif  
| pageID_home.jpg  
|  
\---Icons
```

Add-IP-based-Site.gif

Add-Name-based-Site.gif

Add-Site-Template.gif

add_access.gif

add_myodbc.gif

add_sql.gif

add_zone.gif



Admin-Backup.gif
Admin-Customer-Notification.gif
Admin-IP-Address-Pool.gif
Admin-License.gif
Admin-List-Administrators.gif
Admin-list-services.gif
Admin-name-based-ip-address.gif
Admin-platform-servers.gif
Admin-Restart-Server.gif
admin_user.gif
blank.gif
BWUsage.gif
CatchallUser.gif
check.gif
configure.gif
custom_errors.gif
DiskUsage.gif
DistributionLists.gif
DomainAliases.gif
domain_alias.gif
FrontPageOverview.gif
greenball_small.gif
Item_BankLeftIcon.gif
Item_LeftIcon.gif
List-Site-Templates.gif
List-Sites.gif
ListPowerTools.gif
list_zones.gif



log_schedule.gif
MailingLists.gif
MailOverview.gif
Marketing.gif
mime_types.gif
msftpoverview.gif
mssql2k5mgmt.gif
MSSQLDatabase.gif
MySQLDatabase.gif
notchecked.gif
ODBClist.gif
ODBCOverview.gif
Panel_Corner_Left.gif
Panel_Icon_Down.gif
Panel_Icon_Up.gif
phpMyAdmin.gif
power_logo.gif
preferences-alerts.gif
Preferences-Branding.gif
preferences-change-password-hint.gif
preferences-change-password.gif
Preferences-Color-Scheme.gif
preferences-contact-information.gif
preferences-email-templates.gif
Preferences-Jump-List.gif
Preferences-Toolbars.gif
purball_small.gif
redball_small.gif



Reports-Action-Log-Option.gif
Reports-Action-Log.gif
Reports-Reseller-Usage-Opti.gif
Reports-Reseller-Usage.gif
Reports-Server-Status.gif
Reports-Site-Usage-Option.gif
Reports-Site-Usage.gif
Reports-Summary-Option.gif
Reports-Summary.gif
Resellers-Add-Reseller-Temp_32.gif
Resellers-Add-Reseller-Temp_LONG.gif
Resellers-Add-Resellers.gif
Resellers-List-Reseller-temp.gif
Resellers-List-Resellers.gif
Resources-add-hosting-server.gif
Resources-add-pool.gif
Resources-list-hosting-serv.gif
Resources-list-pools.gif
Service-default.gif
service-manage.gif
service-report-usage.gif
ServiceDetails.gif
Services-Add-Zone.gif
Services-Application-Pools.gif
Services-DNS-Configuration.gif
Services-FTP-Server-Config.gif
Services-List-Services.gif
SetDefaultPermission.gif



Site-Data-Drives.gif
site-family.gif
SpamFilters.gif
ssl.gif
subdomains.gif
UrchinReports.gif
Users-Add-Template.gif
Users-Add-User.gif
Users-List-Templates.gif
Users-List-Users.gif
ViewFileFolder.gif
view_logs.gif
virtual_dir.gif
w3svcoverview.gif
Web-Serv-Add-Virtual-Direct.gif
Web-Serv-Config.gif
Web-Serv-List-Virtual-Direc.gif
Web-Serv-SSL-Settings.gif
WebReports.gif
yellowball_small.gif

Adding a new skin

This section describes the procedure to add a new skin to the Ensim Pro control panel.

▼ To add a new skin:

- 1 Log in to the Ensim Pro control panel as a Server administrator, Reseller administrator or a Site administrator.
- 2 Click Preferences > Skins> Add skin.
- 3 Enter the following information to provide the skin information:
 - a Skin Name. The name of the skin to be displayed in the list of skins.



- b** **Style sheet.** The path for the `css` file to be uploaded.
 - c** **Images zip file.** The zip file for the **Images** folder which contains images to be applied for the skin. The zip file must contain all the required number of images. The images also include the control panel icons.
- 4** Click on the **upload** button to add the new skin to the list.

The skin name is now displayed on the *Skins* page in the list of skins.

In order to provide a distinct look and feel for the new skin, you can customize the skin components as described in the customizing the skin components section (page [7](#)).

Sample skin style sheet (CSS) file for customizing skins

Introduction

This appendix describes the CSS file used for customizing skins. The classes used in this CSS file are described in customizing the skin components section (page 7).

```
/* Layout styles */

/* Adjust logo placed on top left corner or top right corner.*/
.ulogo {
    height: 60px;
    width: 157px;
    background-repeat: no-repeat;
    background-position: top left;
}

/* Adjust banner placed on top left corner or top right corner.*/
.ubanner {
    height: 60px;
    width: auto;
    background-repeat: no-repeat;
    background-position: top right;
}

.twoColRow
{
    height: 100%;
```



```
vertical-align: top;  
}  
  
.twoColLeftCell  
{  
background-color: #CCCCCC;  
width: 12em;  
}  
  
.sidebar  
{  
width: 100%;  
}  
  
.twoColRightCell  
{  
background-color: #0058BA;  
padding: 0px;  
width: auto;  
}  
  
.contentArea  
{  
margin: 0px; width: 100%;  
}  
  
/* this css style removes the extra padding around form tags */  
form {  
display: inline  
}
```



```
/* apply to a div between elements to get some vertical spacing */

.spacer-vertical {
    height: 10px;
}

/* the browser will not get any smaller than this */

.minimumScreenResolution {
    width: 750px;
    background-color: #003466;
}

/* this style is only used in the "user" login level */

.login {
    font-family: Verdana, Arial, Helvetica, sans-serif;
    font-size: 10px;
    color: #FFFFFF;
    padding-right: 10px;
    padding-left: 10px;
}

/* masthead and footer */

.masthead {
    background-image: url(images/masthead.jpg);
    height: 47px;
    width: 830px;
    background-repeat: no-repeat;
}

.footer {
```



```
background-color: #003466;

border-top-width: 1px;

border-right-width: 1px;

border-bottom-width: 1px;

border-left-width: 1px;

border-top-style: solid;

border-top-color: #FFFFFF;

border-right-color: #FFFFFF;

border-bottom-color: #FFFFFF;

border-left-color: #FFFFFF;

height: 22px;

text-align: right;

}

/* navigation bar */

.navbuttons {

left: 0px;

position: relative;

}

.navButton-on {

background-image: url(images/menuButton_on.gif);

background-repeat: no-repeat;

}

.navButton-on a {

font-family: Verdana, Arial, Helvetica, sans-serif;

font-size: 12px;

line-height: 24px;

color: #FFFFFF;

height: 24px;

padding-right: 18px;
```



```
padding-left: 18px;  
  
text-transform: lowercase;  
  
text-decoration: none;  
  
white-space: nowrap;  
  
}  
  
.navButton-off a { /* Navbuttons are a hyperlink */  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size: 12px;  
  
color: #FFFFFF;  
  
text-transform: lowercase;  
  
text-decoration: none;  
  
padding-right: 18px;  
  
padding-left: 18px;  
  
height: 24px;  
  
line-height: 24px;  
  
cursor: hand;  
  
voice-family: "\}\\";  
  
voice-family: inherit;  
  
cursor: pointer;  
  
white-space: nowrap;  
  
}  
  
.navbar-background {  
  
background-image: url(images/menubar.gif);  
  
height: 24px;  
  
}  
  
.navbar-separator {  
  
background-image: url(images/menubar_divider.gif);  
  
background-repeat: no-repeat;  
  
width: 2px;  
  
height: 24px;
```



{

/* Drop down boxes should have lowercase text */

SELECT

{

text-transform: lowercase;

}

.domainInfo-text { /* To display domain.com in siteadmin */

padding-left: 1em;

vertical-align: bottom;

font-family: Verdana, Arial, Helvetica, sans-serif;

font-weight: bold;

font-size: 14px;

color: White;

}

/* sidebar styles */

.sidebar-pulldown {

width: 150px;

}

.sidebar {

background-color: #CCCCCC;

border-top-width: 1px;

border-right-width: 1px;

border-bottom-width: 1px;

border-left-width: 1px;

border-right-style: solid;

border-top-color: #FFFFFF;



```
border-right-color: #FFFFFF;  
border-bottom-color: #FFFFFF;  
border-left-color: #FFFFFF;  
}  
  
.sidebar-width {  
width: 189px;  
}  
  
.sidebarWindow-find {  
background-color: #E3E3E3;  
padding: 8px;  
}  
  
.sidebarWindow-login {  
font-family: Verdana, Arial, Helvetica, sans-serif;  
font-size: 12px;  
color: #12489E;  
background-color: #FFFFFF;  
padding: 8px;  
border-top-width: 1px;  
border-right-width: 1px;  
border-bottom-width: 1px;  
border-left-width: 1px;  
border-bottom-style: solid;  
border-top-color: #5F5F5F;  
border-right-color: #5F5F5F;  
border-bottom-color: #5F5F5F;  
border-left-color: #5F5F5F;  
text-align: left;  
text-transform: lowercase;  
width: 100%;  
}
```



```
.sidebar-head-myTaskbars {  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
    font-size: 14px;  
    color: #FFFFFF;  
    text-transform: lowercase;  
}  
  
.sidebar-head-myTaskbars { /* for toolbar area */  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
    font-size: 14px;  
    color: #333333;  
    text-transform: lowercase;  
    font-weight: bold; /* new */  
}  
  
.sidebar-taskboxes { /* for toolbars area */  
    padding: 8px;  
    background-color: #CCCCCC;  
    border-top-width: 3px;  
    border-top-style: solid;  
    border-top-color: #666666;  
    border-right-color: #666666;  
    border-bottom-color: #666666;  
    border-left-color: #666666;  
}  
  
.taskboxHeader-middle {  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
    font-size: 12px;  
    color: #FFFFFF;  
    background-image: url(images/menubar.gif);  
    height: 24px;  
    line-height: 24px;
```



```
text-transform: lowercase;  
}  
  
.taskboxHeader-capLeft {  
background-image: url(images/menubar_cap_left.gif);  
height: 24px;  
width: 2px;  
}  
  
.taskboxHeader-capRight {  
background-image: url(images/menubar_cap_right.gif);  
height: 24px;  
width: 2px;  
}  
  
.taskbox-content {  
background-color: #FFFFFF;  
padding: 6px;  
border-top-width: 1px;  
border-right-width: 1px;  
border-bottom-width: 1px;  
border-left-width: 1px;  
border-right-style: solid;  
border-bottom-style: solid;  
border-top-color: #333333;  
border-right-color: #333333;  
border-bottom-color: #333333;  
border-left-color: #333333;  
}  
  
.taskboxIcon-placeholder {  
background-image: url(images/icon_taskbox_placeholder.jpg);  
height: 24px;  
width: 18px;
```



```
float: left;  
  
background-position: right center;  
  
background-repeat: no-repeat;  
}  
  
.button  
{  
  
text-transform: lowercase;  
}  
  
.button-closeWindow {  
  
background-image: url(images/button_opened.jpg);  
  
height: 24px;  
  
width: 24px;  
  
float: right;  
  
/* the code below is used to make the cursor a "hand" in ie 5 and most other  
major browsers */  
  
cursor: hand;  
  
voice-family: "\}\\";  
  
voice-family: inherit;  
  
cursor: pointer;  
}  
  
.button-logout {  
  
background-image: url(../../../images/button_logout.gif);  
  
background-repeat: no-repeat;  
  
background-position: center center;  
  
height: 16px;  
  
width: 46px;  
  
/* the code below is used to make the cursor a "hand" in ie 5 and most other  
major browsers */  
  
cursor: hand;  
  
voice-family: "\}\\";  
  
voice-family: inherit;
```



```
cursor: pointer;  
}  
  
.button-logout a  
{  
  
    display: block;  
  
    width: auto;  
  
    height: 16px;  
  
    text-decoration: none;  
}  
  
.button-logout a span  
{  
  
    display: none;  
}  
  
  
.button-edit {  
  
    background-image: url(../../images/button_edit.gif);  
  
    background-repeat: no-repeat;  
  
    background-position: right;  
  
    height: 18px;  
  
    width: 48px;  
  
    /* the code below is used to make the cursor a "hand" in ie 5 and most other  
    major browsers */  
  
    cursor: hand;  
  
    voice-family: "\}\"";  
  
    voice-family: inherit;  
  
    cursor: pointer;  
}  
  
/* content area styles */  
  
.contentArea {  
  
    background-color: #0058BA;  
}  
}
```



```
.main  
{  
    padding: 16px;  
}  
  
.pageID-home {  
    background-image: url(images/pageID_home.jpg);  
    background-repeat: no-repeat;  
    height: 32px;  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
    font-size: 20px;  
    color: #FFFFFF;  
    padding-left: 32px;  
    padding-bottom: 6px;  
    line-height: 24px;  
    text-transform: lowercase;  
}  
  
.pageID-home a {  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
    font-size: 20px;  
    color: #FFFFFF;  
    text-transform: lowercase;  
    text-decoration: underline;  
}  
  
.tab-spacer {  
    width: 5px;  
    border-top-width: 1px;  
    border-right-width: 1px;  
    border-bottom-width: 1px;  
    border-left-width: 1px;  
    border-left-style: solid;
```



```
border-top-color: #071730;  
  
border-right-color: #071730;  
  
border-bottom-color: #071730;  
  
border-left-color: #071730;  
  
}  
  
.tab-off {  
  
background-image: url(../../images/tab_off.gif);  
  
white-space: nowrap;  
  
height: 21px;  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size: 12px;  
  
color: #FFFFFF;  
  
text-transform: lowercase;  
  
padding-right: 15px;  
  
padding-left: 15px;  
  
line-height: 18px;  
  
cursor: hand;  
  
voice-family: "\\"}\\"";  
  
voice-family: inherit;  
  
cursor: pointer;  
  
}  
  
.tab-on {  
  
background-image: url(../../images/tab_on.gif);  
  
white-space: nowrap;  
  
height: 21px;  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size: 12px;  
  
line-height: 18px;  
  
color: #12347C;  
  
padding-right: 15px;
```



```
padding-left: 15px;  
  
text-transform: lowercase;  
  
}  
  
.tab-off-capLeft {  
  
background-image: url(../../images/tab_off_capLeft.gif);  
  
width: 2px;  
  
padding: 1px;  
  
height: 21px;  
  
}  
  
.tab-off-capRight {  
  
background-image: url(../../images/tab_off_capRight.gif);  
  
width: 2px;  
  
padding: 1px;  
  
height: 21px;  
  
}  
  
.tab-on-capLeft {  
  
background-image: url(../../images/tab_on_capLeft.gif);  
  
width: 2px;  
  
padding: 1px;  
  
height: 21px;  
  
}  
  
.tab-on-capRight {  
  
background-image: url(../../images/tab_on_capRight.gif);  
  
width: 2px;  
  
padding: 1px;  
  
height: 21px;  
  
}  
  
.actionBar {  
  
background-image: url(../../images/actionBar_background.gif);  
  
background-repeat: repeat-x;
```



```
height: 23px;  
}  
  
. actionBar-separator {  
  
background-image: url(../../images/actionBar_divider.gif);  
background-repeat: no-repeat;  
width: 2px;  
height: 23px;  
}  
  
. actionBar-button-disabled {  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
font-size: 12px;  
line-height: 23px;  
color: #999999;  
height: 23px;  
padding-right: 10px;  
padding-left: 10px;  
text-transform: lowercase;  
text-decoration: none;  
white-space: nowrap;  
}  
  
. actionBar-button-enabled {  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
font-size: 12px;  
line-height: 23px;  
color: #333333;  
height: 23px;  
padding-right: 10px;  
padding-left: 10px;  
text-transform: lowercase;  
text-decoration: none;
```



```
white-space: nowrap;

/* the code below is used to make the cursor a "hand" in ie 5 and most other
major browsers */

cursor: hand;

voice-family: "\}\\";

voice-family: inherit;

cursor: pointer;

}

.contentWindow-top {

background-image: url(../../images/window_outer_top.gif);

background-repeat: repeat-x;

height: 25px;

}

.contentWindow-botm {

background-image: url(../../images/window_outer_botm.gif);

background-repeat: repeat-x;

height: 19px;

border-top-width: 1px;

border-right-width: 1px;

border-bottom-width: 1px;

border-left-width: 1px;

border-bottom-style: solid;

border-top-color: #071730;

border-right-color: #071730;

border-bottom-color: #071730;

border-left-color: #071730;

}

.contentWindow-left {

background-image: url(../../images/window_outer_left.gif);

background-repeat: repeat-y;

padding-left: 8px;
```



```
width: 13px;  
}  
  
.contentWindow-right {  
  
background-image: url(../../images/window_outer_right.gif);  
  
background-repeat: repeat-y;  
  
width: 13px;  
  
border-top-width: 1px;  
  
border-right-width: 1px;  
  
border-bottom-width: 1px;  
  
border-left-width: 1px;  
  
border-right-style: solid;  
  
border-top-color: #071730;  
  
border-right-color: #071730;  
  
border-bottom-color: #071730;  
  
border-left-color: #071730;  
  
background-position: right;  
  
padding-right: 8px;  
}  
  
.contentWindow-topRight {  
  
background-image: url(../../images/window-outer-topRight.gif);  
  
height: 25px;  
  
width: 6px;  
  
border-top-width: 1px;  
  
border-right-width: 1px;  
  
border-bottom-width: 1px;  
  
border-left-width: 1px;  
  
border-right-style: solid;  
  
border-top-color: #071730;  
  
border-right-color: #071730;  
  
border-bottom-color: #071730;
```



```
border-left-color: #071730;  
  
background-repeat: no-repeat;  
  
background-position: right;  
  
}  
  
.contentWindow-topLeft {  
  
background-image: url(../../images/window_outer_topLeft.jpg);  
  
height: 25px;  
  
width: 6px;  
  
}  
  
.contentWindow-botmLeft {  
  
background-image: url(../../images/window_outer_botmLeft.gif);  
  
height: 19px;  
  
width: 6px;  
  
background-repeat: no-repeat;  
  
border-top: 1px #071730;  
  
border-right: 1px #071730;  
  
border-bottom: 1px solid #071730;  
  
border-left: 1px #071730;  
  
}  
  
.contentWindow-botmRight {  
  
background-image: url(../../images/window_outer_botmRight.gif);  
  
height: 19px;  
  
width: 6px;  
  
background-repeat: no-repeat;  
  
background-position: right;  
  
border-top-width: 1px;  
  
border-right-width: 1px;  
  
border-bottom-width: 1px;  
  
border-left-width: 1px;  
  
border-right-style: solid;
```



```
border-bottom-style: solid;
border-top-color: #071730;
border-right-color: #071730;
border-bottom-color: #071730;
border-left-color: #071730;
}

.contentWindow-tabOn {
    background-image: url(../../images/window_outer_tabOn.gif);
    height: 25px;
}

.contentWindow-inside {
    background-color: #FFFFFF;
    border-top-width: 1px;
    border-right-width: 1px;
    border-bottom-width: 1px;
    border-left-width: 1px;
    border-top-style: solid;
    border-left-style: solid;
    border-top-color: #707070;
    border-right-color: #707070;
    border-bottom-color: #707070;
    border-left-color: #707070;
    padding: 10px;
}

.windowBorder-dashbardContent {
    border: 1px solid #CFCFCF;
}

.tableContent-subTitle
{
```



```
background-color: #EEF9FD;  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size: 12px;  
  
color: #5D81A5;  
  
text-transform: lowercase;  
  
height: 24px;  
  
vertical-align: middle;  
  
border-top: solid 1px;  
  
border-bottom: solid 1px;  
  
padding-left: 10px;  
  
}  
  
.tableContent-leftColumn  
  
{  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size: 12px;  
  
padding-left: 10px;  
  
padding-top: 8px;  
  
padding-right: 5px;  
  
padding-bottom: 5px;  
  
}  
  
.tableContent-leftColumn-rightAlign  
  
{  
  
padding-left: 10px;  
  
padding-top: 8px;  
  
padding-right: 5px;  
  
padding-bottom: 5px;  
  
text-align: right;  
  
}  
  
.tableContent-rightColumn  
  
{
```



```
font-family: Verdana, Arial, Helvetica, sans-serif;  
font-size: 12px;  
padding-left: 5px;  
padding-top: 5px;  
padding-right: 10px;  
padding-bottom: 5px;  
}  
  
.tableContent-middleColumn  
{  
font-family: Verdana, Arial, Helvetica, sans-serif;  
font-size: 12px;  
padding-left: 5px;  
padding-top: 3px;  
padding-right: 5px;  
padding-bottom: 5px;  
white-space: nowrap  
}  
  
.tableContent-middleColumn-cpanel {  
padding-left: 10px;  
padding-top: 5px;  
padding-right: 10px;  
padding-bottom: 5px;  
}  
  
.tableContent-leftColumn-cpanel {  
padding-left: 10px;  
padding-top: 5px;  
padding-right: 10px;  
padding-bottom: 5px;  
}  
  
.RadioButtonList
```



```
{  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
    font-size: 12px;  
}  
  
.progressBar-totalWidth {  
    width: 150px;  
}  
  
.progressBar-small-totalWidth {  
    width: 100px;  
}  
  
.progressBar-yellow {  
    background-image: url(../../images/progressbar_yellow.gif);  
    background-repeat: repeat-x;  
    height: 11px;  
    border-top-width: 1px;  
    border-right-width: 1px;  
    border-bottom-width: 1px;  
    border-left-width: 1px;  
    border-left-style: solid;  
    border-top-color: #12347C;  
    border-right-color: #12347C;  
    border-bottom-color: #12347C;  
    border-left-color: #12347C;  
    background-position: center;  
    padding-bottom: 11px;  
}  
  
.progressBar-red {  
    background-image: url(../../images/progressbar_red.gif);  
    background-repeat: repeat-x;  
    height: 11px;
```



```
border-top-width: 1px;  
border-right-width: 1px;  
border-bottom-width: 1px;  
border-left-width: 1px;  
border-left-style: solid;  
border-top-color: #12347C;  
border-right-color: #12347C;  
border-bottom-color: #12347C;  
border-left-color: #12347C;  
background-position: center;  
padding-bottom: 11px;  
}  
  
.progressBar-filled {  
background-image: url(../../images/progressbar_fill.gif);  
background-repeat: repeat-x;  
height: 11px;  
border-top-width: 1px;  
border-right-width: 1px;  
border-bottom-width: 1px;  
border-left-width: 1px;  
border-left-style: solid;  
border-top-color: #12347C;  
border-right-color: #12347C;  
border-bottom-color: #12347C;  
border-left-color: #12347C;  
background-position: center;  
padding-bottom: 11px;  
}  
  
.progressBar-empty {  
background-image: url(../../images/progressbar_empty.gif);
```



```
background-repeat: repeat-x;  
background-position: center;  
border-top-width: 1px;  
border-right-width: 1px;  
border-bottom-width: 1px;  
border-left-width: 1px;  
border-right-style: solid;  
border-top-color: #ADADAD;  
border-right-color: #ADADAD;  
border-bottom-color: #ADADAD;  
border-left-color: #ADADAD;  
height: 11px;  
padding-bottom: 11px;  
}  
  
/* list view */  
.tableContent-columnHead {  
font-family: Verdana, Arial, Helvetica, sans-serif;  
font-size: 12px;  
font-weight: bold;  
text-transform: lowercase;  
color: #5873AA;  
border-top-width: 1px;  
border-right-width: 1px;  
border-bottom-width: 1px;  
border-left-width: 1px;  
border-bottom-style: solid;  
border-top-color: #CCCCCC;  
border-right-color: #CCCCCC;  
border-bottom-color: #CCCCCC;
```



```
border-left-color: #CCCCCC;  
}  
  
.tableContent-columnHead A  
{  
  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
    font-size: 12px;  
    font-weight: bold;  
    text-transform: lowercase;  
    text-decoration: none;  
    color: #5873AA;  
  
    /* the code below is used to make the cursor a "hand" in ie 5 and most other  
    major browsers */  
  
    cursor: hand;  
  
    voice-family: "\}\\";  
    voice-family: inherit;  
    cursor: pointer;  
}  
  
.tableContent-columnHead-activeSort {  
  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
    font-size: 12px;  
    font-weight: bold;  
    text-transform: lowercase;  
    color: #5873AA;  
  
    border-top-width: 1px;  
    border-right-width: 1px;  
    border-bottom-width: 1px;  
    border-left-width: 1px;  
    border-bottom-style: solid;  
    border-top-color: #CCCCCC;  
    border-right-color: #CCCCCC;  
    border-bottom-color: #CCCCCC;
```



```
border-left-color: #CCCCCC;  
  
background-color: #EEF9FD;  
  
}  
  
.tableContent-columnHead-activeSort A  
  
{  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size: 12px;  
  
font-weight: bold;  
  
text-transform: lowercase;  
  
text-decoration: none;  
  
color: #5873AA;  
  
/* the code below is used to make the cursor a "hand" in ie 5 and most other  
major browsers */  
  
cursor: hand;  
  
voice-family: "\}\\";  
  
voice-family: inherit;  
  
cursor: pointer;  
  
}  
  
  
.tableContent-rowDivider-a {  
  
background-color: #FFFFFF;  
  
}  
  
.tableContent-rowDivider-b {  
  
background-color: #EAEAEA;  
  
}  
  
  
/* pagination */  
  
.button-prev {  
  
background-image: url(../../images/button_prev.gif);  
  
background-repeat: no-repeat;  
  
height: 19px;
```



```
width: 18px;

/* the code below is used to make the cursor a "hand" in ie 5 and most other
major browsers */

cursor: hand;

voice-family: "\}\\";

voice-family: inherit;

cursor: pointer;

}

.button-prev-disabled {

background-image: url(../../images/button_prev_disabled.gif);

background-repeat: no-repeat;

height: 19px;

width: 18px;

}

.button-next {

background-image: url(../../images/button_next.gif);

background-repeat: no-repeat;

height: 19px;

width: 18px;

/* the code below is used to make the cursor a "hand" in ie 5 and most other
major browsers */

cursor: hand;

voice-family: "\}\\";

voice-family: inherit;

cursor: pointer;

}

.button-next-disabled {

background-image: url(../../images/button_next_disabled.gif);

background-repeat: no-repeat;

height: 19px;

width: 18px;
```



```
}
```

```
.pagination {
```

```
    margin-top: 8px;
```

```
}
```



```
/* wizard */
```

```
.wizard-instructions {
```

```
    font-family: Verdana, Arial, Helvetica, sans-serif;
```

```
    font-size: 12px;
```

```
    color: #333333;
```

```
    padding: 10px;
```

```
}
```

```
.stepsWindow-topLeft {
```

```
    background-image: url(../../../images/window_outer_topLeft.jpg);
```

```
    height: 15px;
```

```
    width: 6px;
```

```
}
```

```
.stepsWindow-top {
```

```
    background-image: url(../../../images/window_outer_top.gif);
```

```
    background-repeat: repeat-x;
```

```
    height: 15px;
```

```
}
```

```
.stepsWindow-topRight {
```

```
    background-image: url(../../../images/window-outer-topRight.gif);
```

```
    height: 15px;
```

```
    width: 6px;
```

```
    border-top-width: 1px;
```

```
    border-right-width: 1px;
```

```
    border-bottom-width: 1px;
```



```
border-left-width: 1px;  
border-right-style: solid;  
border-top-color: #071730;  
border-right-color: #071730;  
border-bottom-color: #071730;  
border-left-color: #071730;  
background-repeat: no-repeat;  
background-position: right;  
}  
  
.stepsWindow-left {  
background-image: url(../../images/window_outer_left.gif);  
background-repeat: repeat-y;  
padding-left: 8px;  
width: 10px;  
}  
  
.stepsWindow-right {  
background-image: url(../../images/window_outer_right.gif);  
background-repeat: repeat-y;  
width: 10px;  
border-top-width: 1px;  
border-right-width: 1px;  
border-bottom-width: 1px;  
border-left-width: 1px;  
border-right-style: solid;  
border-top-color: #071730;  
border-right-color: #071730;  
border-bottom-color: #071730;  
border-left-color: #071730;  
background-position: right;  
padding-right: 8px;
```



```
}
```

```
.stepsWindow-botmLeft {
```

```
    background-image: url(../../images/window_outer_botmLeft.gif);
```

```
    height: 12px;
```

```
    width: 6px;
```

```
    background-repeat: no-repeat;
```

```
    border-top: 1px #071730;
```

```
    border-right: 1px #071730;
```

```
    border-bottom: 1px solid #071730;
```

```
    border-left: 1px #071730;
```

```
}
```

```
.stepsWindow-botm {
```

```
    background-image: url(../../images/window_outer_botm.gif);
```

```
    background-repeat: repeat-x;
```

```
    height: 12px;
```

```
    border-top-width: 1px;
```

```
    border-right-width: 1px;
```

```
    border-bottom-width: 1px;
```

```
    border-left-width: 1px;
```

```
    border-bottom-style: solid;
```

```
    border-top-color: #071730;
```

```
    border-right-color: #071730;
```

```
    border-bottom-color: #071730;
```

```
    border-left-color: #071730;
```

```
}
```

```
.stepsWindow-botmRight {
```

```
    background-image: url(../../images/window_outer_botmRight.gif);
```

```
    height: 12px;
```

```
    width: 6px;
```

```
    background-repeat: no-repeat;
```



```
background-position: right;  
  
border-top-width: 1px;  
  
border-right-width: 1px;  
  
border-bottom-width: 1px;  
  
border-left-width: 1px;  
  
border-right-style: solid;  
  
border-bottom-style: solid;  
  
border-top-color: #071730;  
  
border-right-color: #071730;  
  
border-bottom-color: #071730;  
  
border-left-color: #071730;  
  
}  
  
.stepsWindow-inside {  
  
background-color: #FFFFFF;  
  
border-top-width: 1px;  
  
border-right-width: 1px;  
  
border-bottom-width: 1px;  
  
border-left-width: 1px;  
  
border-top-style: solid;  
  
border-left-style: solid;  
  
border-top-color: #707070;  
  
border-right-color: #707070;  
  
border-bottom-color: #707070;  
  
border-left-color: #707070;  
  
}  
  
.stepsWindow-padding {  
  
padding-left: 20px;  
  
width: 225px;  
  
}
```



```
/* confirmations, errors, alerts */

.notification-alert {
    background-color: #CCCCCC;
    border: 2px solid #FFFF00;
}

.notification-alert-inside {
    font-family: Verdana, Arial, Helvetica, sans-serif;
    font-size: 12px;
    color: #000000;
    padding: 10px;
}

.showErrorInForm {
    background-color: #FFFF00;
}

/* text styling */

.pageID-hyperlinked {
    color: #FFFFFF;
}

.header-dashboard {
    font-family: Verdana, Arial, Helvetica, sans-serif;
    font-size: 12px;
    font-weight: bold;
    color: #12347C;
    background-color: #0187CE;
    background-image: url(images/headerBackground_dashboard.jpg);
    background-repeat: repeat-y;
    height: 26px;
    line-height: 24px;
    padding-left: 10px;
}
```



```
text-transform: lowercase;  
}  
  
.header-steps {  
  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
  
    font-size: 18px;  
  
    font-weight: bold;  
  
    color: #12347C;  
  
    background-color: #0187CE;  
  
    background-image: url(../../images/headerBackground-steps.jpg);  
  
    background-repeat: repeat-y;  
  
    height: 26px;  
  
    line-height: 24px;  
  
    padding-left: 10px;  
  
    text-transform: lowercase;  
  
    padding-right: 10px;  
}  
  
.header-error {  
  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
  
    font-size: 18px;  
  
    font-weight: bold;  
  
    color: #990000;  
}  
  
.header-instructions {  
  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
  
    font-size: 14px;  
  
    color: #12347C;  
  
    font-weight: bold;  
}  
  
.subhead {  
  
    font-family: Verdana, Arial, Helvetica, sans-serif;
```



```
font-size: 12px;  
  
color: #5D81A5;  
  
vertical-align: top; /* to prevent from floating */  
  
padding-top: 5px;  
  
text-transform: lowercase;  
  
}  
  
.subhead-middle {  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size: 12px;  
  
color: #5D81A5;  
  
vertical-align: middle;  
  
padding-top: 5px;  
  
text-transform: lowercase;  
  
white-space: nowrap;  
  
}  
  
.text-normal {  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size: 12px;  
  
color: #333333;  
  
text-transform: none;  
  
vertical-align: top;  
  
}  
  
.text-iconLabel {  
  
font-family: Arial, Helvetica, sans-serif;  
  
font-size: 9px;  
  
color: #333333;  
  
text-align: center;  
  
text-transform: lowercase;  
  
text-decoration: none;  
  
padding-top: 3px;
```



```
cursor: hand;  
  
white-space: normal;  
  
}  
  
.text-columnHead {  
  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
  
    font-size: 12px;  
  
    font-weight: bold;  
  
    text-transform: lowercase;  
  
    color: #5873AA;  
  
}  
  
.text-columnHead-activeSort {  
  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
  
    font-size: 12px;  
  
    font-weight: bold;  
  
    background-color: #EEF9FD;  
  
}  
  
.text-addToFavorites {  
  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
  
    font-size: 12px;  
  
    color: #FFFFFF;  
  
    white-space: nowrap;  
  
    text-decoration: none;  
  
}  
  
.text-step-current {  
  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
  
    font-size: 12px;  
  
    font-weight: bold;  
  
    color: #12347C;  
  
}  
  
.text-requiredField {
```



```
font-family: Verdana, Arial, Helvetica, sans-serif;  
font-size: 12px;  
color: #990000;  
}  
  
.tableContent-alignRight {  
text-align: right;  
}  
  
  
  
/* icons */  
  
.icon-addUser-32 {  
background-image: url(../../../../images/icon_addUser_32.gif);  
background-repeat: no-repeat;  
height: 32px;  
width: 32px;  
margin-right: auto;  
margin-left: auto  
  
/* the code below is used to make the cursor a "hand" in ie 5 and most other  
major browsers */  
  
cursor: hand;  
voice-family: "\}\\"";  
voice-family: inherit;  
cursor: pointer;  
}  
  
.icon-alert-16 {  
background-image: url(../../../../images/icon_warning.gif);  
background-repeat: no-repeat;  
height: 16px;  
width: 16px;  
float: right;  
margin-left: 5px;
```



```
}
```



```
.icon-alert-32 { /*error icon placement */

background-image: url(../../images/icon_warning_32.gif);

background-repeat: no-repeat;

background-position: center 5px;

width: 52px;

position: relative;

top: 10px;

}

.icon-activeSort-descending {

background-image: url(../../images/icon_sort_descending.gif);

float: right;

height: 16px;

width: 16px;

margin-right: 2px;

margin-left: 2px;

}

.icon-active-16 {

background-image: url(../../images/icon-state-placeholder.gif);

background-repeat: no-repeat;

height: 16px;

width: 16px;

}

.icon-addToFavorites {

background-image: url(images/icon_addToFavorites.gif);

background-repeat: no-repeat;

background-position: center center;

height: 16px;

width: 16px;
```



```
cursor: pointer;

voice-family: "\}\\";

voice-family: inherit;

cursor: pointer;

text-align: right;

}

.icon-stepComplete {

background-image: url(../../images/icon_stepComplete.gif);

background-repeat: no-repeat;

background-position: center center;

height: 16px;

width: 26px;

}

.icon-stepCurrent {

background-image: url(../../images/icon_step_current.gif);

height: 16px;

width: 26px;

background-repeat: no-repeat;

background-position: center center;

}

.icon-stepIncomplete {

background-repeat: no-repeat;

background-position: center center;

height: 16px;

width: 26px;

}
```



```
.icon-cpanel-32 { /* for dashboard icons */

background-repeat: no-repeat;
height: 32px;
width: 32px;
margin-right: auto;
margin-left: auto

/* the code below is used to make the cursor a "hand" in ie 5 and most other
major browsers */

cursor: hand;
voice-family: "\}\\";

voice-family: inherit;
cursor: pointer;
}

.icon-status-up {

background-image: url(../../../images/status_up.gif);
height: 16px;
width: 16px;
background-repeat: no-repeat;
}

.icon-status-down {

background-image: url(../../../images/status_down.gif);
background-repeat: no-repeat;
width: 16px;
height: 16px;
}
```



```
.icon-status-warning {  
    background-image: url(../../images/status_warning.gif);  
    background-repeat: no-repeat;  
    width: 16px;  
    height: 16px;  
}  
  
.sidebar-textfield-large { /* for large toolbar text fields */  
    width: 150px;  
}  
  
.add-to-jumplist { /* jump list link placement */  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
    font-size: 12px;  
    padding-right: 10px;  
    vertical-align: middle;  
    float: right;  
}  
  
.icon-help-item{ /* help icon in items in formtable */  
    background-image: url(images/icon_addToFavorites.gif);  
    background-repeat: no-repeat;  
    height: 16px;  
    width: 16px;  
    margin-top: 4px;  
    cursor: pointer;  
}  
  
.icon-help-dashboard-header { /* help icon in dashboard header */  
    background-image: url(images/icon_addToFavorites.gif);  
    background-repeat: no-repeat;  
    height: 16px;  
    width: 16px;
```



```
float: right;  
  
padding-right: 22px;  
  
margin-top: 4px;  
  
}  
  
.icon-help-dashboard-header-a { /* help icon in dashboard header */  
  
background-image: url(images/icon_addToFavorites.gif);  
  
background-repeat: no-repeat;  
  
height: 16px;  
  
width: 16px;  
  
float: left;  
  
margin-left: 5px;  
  
vertical-align: middle;  
  
}  
  
.header-dashboard-left { /* for dashboard headers that have a help icon */  
  
float: left;  
  
}  
  
.icon-help-embedded { /* embedded help icon for a field */  
  
background-image: url(images/icon_addToFavorites.gif);  
  
background-repeat: no-repeat;  
  
height: 16px;  
  
width: 16px;  
  
margin-left: 5px;  
  
float: none;  
  
cursor: pointer;  
  
}  
  
  
.icon-help-page{  
  
background-repeat: no-repeat;  
  
height: 16px;
```



```
width: 16px;  
  
float: right;  
  
padding-left: 25px;  
  
padding-right: 25px;  
  
padding-top: 10px;  
  
vertical-align: top;  
  
}  
  
  
.searchbox-content { /* for searchbox with no header */  
  
background-color: #FFFFFF;  
  
padding: 6px;  
  
border-top-width: 1px;  
  
border-right-width: 1px;  
  
border-bottom-width: 1px;  
  
border-left-width: 1px;  
  
border-right-style: solid;  
  
border-bottom-style: solid;  
  
border-top-color: #333333;  
  
border-right-color: #333333;  
  
border-bottom-color: #333333;  
  
border-left-color: #333333;  
  
border-left-style: solid;  
  
border-top-style: solid;  
  
}  
  
.tableContent-leftColumn-noTopPad { /* for dashboard pie chart */  
  
padding-left: 10px;  
  
padding-top: 0px;  
  
padding-right: 5px;  
  
padding-bottom: 0px;  
  
}
```



```
.tableContent-embedded-help { /* for embedded help dashed line box */

    padding: 10px 10px 2px;

    border: 1px dashed #666666;

}

.item-embedded-help { /* for embedded help dashed line box for singleitem */

    border: 1px dashed #666666;

}

.sub-header-a { /* for config service subheads */

    font-family: Verdana, Arial, Helvetica, sans-serif;

    font-size: 12px;

    background-color: #D9F2F7;

    background-image: url(images/headerBackground_options_2.gif);

    background-repeat: repeat-y;

    padding-left: 10px;

    padding-bottom: 4px;

    padding-top: 4px;

    text-transform: lowercase;

    background-position: right;

}

.button-twisty-open { /* used in service options */

    background-image: url(images/button_twisty_open-a.gif);

    height: 19px;

    width: 19px;

    float: left;

    cursor: pointer;

    voice-family: "\}\\";

    voice-family: inherit;

    cursor: pointer;

    margin-left: 2px;

    clear: left;
```



```
margin-top: 2px;

}

.button-twisty-closed { /* used in service options */

background-image: url(images/button_twisty_closed-a.gif);

height: 19px;

width: 19px;

float: left;

cursor: pointer;

voice-family: "\\"}\\";

voice-family: inherit;

cursor: pointer;

margin-left: 2px;

margin-top: 2px;

}

.nowrap { /* used in preferences_branding and service_options_configure - should
be used as a span in breadcrumbs to keep long names on the same line (i.e.
configure web hosting)*/

white-space: nowrap;

}

.subhead-title { /* for subheaders which are attached to the bottom of the
dashboard header, left column */

background-color: #0187CE;

font-family: Verdana, Arial, Helvetica, sans-serif;

font-size: 12px;

color: #FFFFFF;

padding-left: 15px;

}

.subhead-right { /* used in combination with the previous class "subhead-title",
right column */

background-color: #0187CE;

background-image: url(../../images/subhead.jpg);

background-repeat: repeat-y;
```



```
background-position: right;  
}  
  
.subhead-formtable { /* a combination of subhead-title and subhead-right, now  
used in one spanning column */  
  
background-color: #0187CE;  
  
background-image: url(../../images/subhead.jpg);  
  
background-repeat: repeat-y;  
  
background-position: right;  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size: 12px;  
  
color: #FFFFFF;  
  
padding-left: 15px;  
}  
  
.button-small { /* smaller, better looking button */  
  
FONT-SIZE: 11px;  
  
COLOR: #000000;  
  
FONT-FAMILY: Verdana, Arial, Helvetica, sans-serif;  
  
margin-top: 2px;  
  
text-transform: lowercase;  
}  
  
.flipper { /* for flip list - page flipper area */  
  
border-top: none #FFFFFF;  
  
border-right: none #FFFFFF;  
  
border-bottom: none #FFFFFF;  
  
border-left: none #FFFFFF;  
  
padding: 2px;  
}  
  
.windowBorder-fliplistContent { /* for containment of fliplist so that a help icon  
can be placed within the header */  
  
border: 1px solid #CFCFCF;  
}
```



```
.float-left { /* used in action_log.htm - should be used to prevent the sort icon from wrapping */

    float:left
}

.float-right { /* used in control panel, dashboard, and action log */

    float:right
}

.pad-4 { /* UE new, for breadcrumb help icon placement */

    padding-left:4px;

    padding-top:4px;

    vertical-align: top;
}

.pageID-home { /* smaller text, better alignment */

    background-image: url(images/pageID_home.jpg);

    background-repeat: no-repeat;

    height: 32px;

    font-family: Verdana, Arial, Helvetica, sans-serif;

    font-size: 20px;

    color: #FFFFFF;

    padding-left: 32px;

    padding-bottom: 10px;

    line-height: 26px;

    text-transform: lowercase;

    vertical-align: top; /* for text alignment */
}

.pageID-home-disabled { /* disabled look for edit dialogs */

    background-image: url(images/pageID_home.jpg);

    background-repeat: no-repeat;

    height: 32px;

    font-family: Verdana, Arial, Helvetica, sans-serif;

    font-size: 20px;
}
```



```
color: #C0C0C0;  
  
padding-left: 32px;  
  
padding-bottom: 10px;  
  
line-height: 26px;  
  
text-transform: lowercase;  
  
vertical-align: top;  
  
}  
  
.button-openWindow { /* twisty button for a closed task box */  
  
background-image: url(../../images/button_closed.jpg);  
  
height: 24px;  
  
width: 24px;  
  
float: right;  
  
cursor: hand;  
  
voice-family: "\\"}\\"";  
  
voice-family: inherit;  
  
cursor: pointer;  
  
}  
  
  
.controlPanel-subhead  
  
{  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size: 12px;  
  
color: #5D81A5;  
  
vertical-align: top; /* to prevent from floating */  
  
padding-top: 5px;  
  
padding-left: 10px;  
  
text-transform: lowercase;  
  
}  
  
  
.controlPanel-subhead-disabled
```



```
{  
  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
  
    font-size: 12px;  
  
    color: Red;  
  
    vertical-align: top; /* to prevent from floating */  
  
    padding-top: 5px;  
  
    padding-left: 10px;  
  
    text-transform: lowercase;  
  
}  
  
/* Navigation panel classes for Ultimate Panel */
```

```
.NAV_Panel  
{  
  
    background-color:#cccccc;  
  
}  
  
.NAV_GroupHeader  
{  
  
    background-color:#114A9B;  
  
    background-image: url(images/menubar.gif);  
  
    color:#ffffff;  
  
    font-family: Verdana, Arial, Helvetica, sans-serif;  
  
    font-size:10pt;  
  
    font-weight:Bold;  
  
}  
  
.NAV_GroupHeaderOpen
```



```
{  
  
background-color:#114A9B;  
  
background-image: url(images/menubar.gif);  
  
color:#ffffff;  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size:10pt;  
  
font-weight:Bold;  
  
}  
  
  
.NAV_DisabledGroupHeader  
  
{  
  
background-color:#6487dc;  
  
background-image: url(images/menubar.gif);  
  
color:#dddddd;  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size:10pt;  
  
font-weight:Bold;  
  
cursor:default;  
  
}  
  
  
.NAV_Group  
  
{  
  
border-style:solid;  
  
border-width:1px;  
  
border-color:#6487dc;  
  
background-color:#f5f5f5;  
  
}  
  
  
.NAV_DisabledItem  
  
{
```



```
color:#a9a9a9;  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size:8pt;  
  
margin-top:5px;  
  
padding-left:5px;  
  
cursor:default;  
  
}  
  
  
.NAV_Item  
  
{  
  
color: Black;  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size:8pt;  
  
margin-top:5px;  
  
padding-left:5px;  
  
}  
  
  
.NAV_ItemOver  
  
{  
  
color: Black;  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size:8pt;  
  
margin-top:5px;  
  
padding-left:5px;  
  
cursor:pointer; cursor:hand;  
  
}  
  
  
  
  
.NAV_SelectItem  
  
{  
  
color: Black;  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size:8pt;  
  
margin-top:5px;  
  
padding-left:5px;  
  
cursor:default;  
  
}
```



```
{  
color: Black;  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size:8pt;  
  
font-weight:Bold;  
  
margin-top:5px;  
  
padding-left:5px;  
}  
  
  
.NAV_ItemTitle  
{  
  
color:Black;  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size:8pt;  
  
font-weight:Bold;  
  
margin-top:5px;  
  
padding-left:4px;  
}  
  
  
.embededHelp  
{  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size: 12px;  
  
}  
  
/*copy right */  
  
  
.text-copyright {  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size: 12px;
```



```
color: #ffffff;  
text-transform: none;  
}  
  
.service-section {  
    BORDER-RIGHT: #b1b1b1 1px;  
    PADDING-RIGHT: 6px;  
    BORDER-TOP: #b1b1b1 1px;  
    PADDING-LEFT: 6px;  
    BACKGROUND-IMAGE: url(images/background_ice01.gif);  
    PADDING-BOTTOM: 6px;  
    BORDER-LEFT: #cfcfcf 1px;  
    PADDING-TOP: 6px;  
    BORDER-BOTTOM: #b1b1b1 1px solid  
}  
.service-section2 {  
    BORDER-RIGHT: #b1b1b1 1px;  
    PADDING-RIGHT: 6px;  
    BORDER-TOP: #b1b1b1 1px;  
    PADDING-LEFT: 6px;  
    BACKGROUND-IMAGE: url(images/background_ice04.gif);  
    PADDING-BOTTOM: 6px;  
    BORDER-LEFT: #cfcfcf 1px;  
    PADDING-TOP: 6px;  
    BORDER-BOTTOM: #b1b1b1 1px solid  
}  
.portal-service-column {  
    BORDER-TOP-WIDTH: 1px;  
    BACKGROUND-IMAGE: url(images/background_ice01.gif);  
    BORDER-BOTTOM-WIDTH: 1px;
```



```
BORDER-BOTTOM-COLOR: #b1b1b1;  
BORDER-LEFT: #cfcfcf 1px solid;  
BORDER-TOP-COLOR: #b1b1b1;  
BORDER-RIGHT-WIDTH: 1px;  
BORDER-RIGHT-COLOR: #b1b1b1  
}  
  
.portal-service-column2 {  
BORDER-TOP-WIDTH: 1px;  
BACKGROUND-IMAGE: url(images/background_ice04.gif);  
BORDER-BOTTOM-WIDTH: 1px;  
BORDER-BOTTOM-COLOR: #b1b1b1;  
BORDER-LEFT: #cfcfcf 1px solid;  
BORDER-TOP-COLOR: #b1b1b1;  
BORDER-RIGHT-WIDTH: 1px;  
BORDER-RIGHT-COLOR: #b1b1b1  
}  
  
.marketing-subhead2 {  
FONT-WEIGHT: bold;  
COLOR: #12347C;  
FONT-FAMILY: Verdana, Arial, Helvetica, sans-serif  
}  
  
.service-description {  
FONT-SIZE: 10px;  
FONT-FAMILY: Verdana, Arial, Helvetica, sans-serif  
}  
  
.service-actions {  
TEXT-ALIGN: right  
}  
  
.padding-stats {
```



```
padding-top: 2px;  
padding-right: 5px;  
padding-bottom: 2px;  
padding-left: 5px;  
background-color: #FFFFFF;  
}  
  
.header-stats {  
font-family: Verdana, Arial, Helvetica, sans-serif;  
font-size: 12px;  
font-weight: bold;  
color: #12347C;  
text-transform: lowercase;  
}  
  
.header-dashboard-a { /* site portal - right aligned gradient, no font style */  
background-color: #D7F2F9;  
background-image: url(images/headerBackground_dashboard.jpg);  
background-repeat: repeat-y;  
height: 32px;  
padding-left: 10px;  
text-transform: lowercase;  
background-position: right;  
}  
  
.header-dashboard-b { /* ISP - right aligned gradient, includes font style */  
font-family: Verdana, Arial, Helvetica, sans-serif;  
font-size: 12px;  
font-weight: bold;  
color: #12347C;
```



```
background-color: #D7F2F9;  
  
background-image: url(images/headerBackground_dashboard.jpg);  
  
background-repeat: no-repeat;  
  
height: 26px;  
  
line-height: 24px;  
  
padding-left: 10px;  
  
text-transform: lowercase;  
  
background-position: right;  
  
}  
  
  
.header { /* header title in portal header */  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size: 1em;  
  
font-weight: bold;  
  
color: #12347C;  
  
padding-left: 5px;  
  
text-transform: lowercase;  
  
line-height: 18px;  
  
}  
  
  
.description { /* portal description text in header */  
  
font-family: Verdana, Arial, Helvetica, sans-serif;  
  
font-size: 0.8em;  
  
font-weight: normal;  
  
color: #12347C;  
  
padding-left: 5px;  
  
text-transform: lowercase;  
  
line-height: 18px;  
  
}
```



```
.top-pad-site-header-icon { /* to align icons in the portal headers */

    padding-top: 2px;

}

.chart-title-center{

    font-family: Verdana, Arial, Helvetica, sans-serif;

    font-size:10px;

    text-align:center;

}

.chart-title-left{

    font-family: Verdana, Arial, Helvetica, sans-serif;

    font-size:10px;

    padding-left:25px;

    padding-top:20px;

}
```

ENSIM PRO - WINDOWS

ENSIM CORPORATION
3945 Freedom Circle, Suite 1100
Santa Clara, California 95054
www.ensim.com

